

# CONTRACT INFO SHEET

Monroe County Division of Purchasing 200 County Office Building, Rochester NY 14614

DATE:

**APRIL 25, 2025** 

**CONTRACT EXTENSION** 

**BID TITLE:** 

**HVAC AIR FILTERS** 

**CONTRACT #:** 

0408-24 (7700000261)

Extension #1

**CONTRACT DATES:** 

06/30/2025 - 06/30/2026

**BUYER:** PHONE: FAX:

Catherine Shafer

585-753-1183 585-324-4278

**VENDOR(S):** 

#11105060

RP FEDDER INDUSTRIAL LLC 740 DRIVING PARK AVENUE **ROCHESTER, NY 14613** 

DARYL MACIUSKA, FILTERATION SPEC.

**CAHNGES AS FOLLOWS:** 

CONTRACT HAS BEEN EXTENDED THROUGH JUNE

30, 2026 with no changes.

Buyer

XC:

**BP FOLDER** 

**VENDOR** 



# MONROE COUNTY BID PROPOSAL

Division of Purchasing County Office Building, Room 200 39 West Main Street Rochester, NY 14614 (585) 783-1100

BID PROJEC	T NUMBER: DE	0409-24 BID TITL	E: HVAC AIR FILT	ERS
BUYER:	Catherine Sh			
PHONE:	\$85/783-1183	SID DATI	E TUERDAY. AP	EIL 30, 2024
310 \$	ECURITY REQU	IRED: No: X Yes, in the amount of	as spe	cified herein
AND/OR GROUP NO.	ESTIMATED QUARTITY	ARTICLES OR SERVICES	UNIT	EXTENSION
		HVAC AIR FILTERS: Per Specs & Unit Price Sheet Attached Please submit one (1) original and one copy of bid proposal at time of bid oper	TOTAL.	<u>* 110,462.0</u> 9
eoficiation, shell conditions est for FIRM NAME J ADDRESS FEDERAL ID	become the binds off berein.  PP Fedder  740 Driving  Padaster, NY 19  140. 84-333	160) TITLE F7 Had	Dayl Mac Specialst 5-288-1600	ivs Ka
The above bi	d is accepted, e	BID ACCEPTANCE AND CONTRACT		following item(s):
Authorization Monroe Court to	to furnish sup the Purchasing 30/2024	BY: Louis D. Anderson, P. Colteen D. Anderson, P.	period from	47/2024

# **INSTRUCTIONS TO BIDDERS**

- All public bids must be submitted to Purchasing in sealed envelopes which clearly identify
  the bid project number and the title of the service/product being bid. Any other writing on
  the envelope, with the exception of company logos, etc. may result in bids being
  misplaced and otherwise rejected.
- Unsigned bids may be rejected as informal.
- Questions regarding ambiguities or the propriety of these specifications should be addressed, in writing, to the Buyer, prior to the formal bid opening. Such questions will not be entertained <u>after</u> said bid opening.
- Where a Bid Security is indicated on the face of the proposal, the security must be attached to the Proposal as an earnest of good faith. In this case, any bid without a bid security may be rejected as informal.

The Purchasing Manager reserves the right to reject any and all bids, to waive any informality in the bids and to make swards in the best interest of Monroe County.

# NON-COLLUSION BIDDING CERTIFICATION

By submission of this bid, each bidder and each person signing on behalf of any bidder, certifies and in the case of a joint bid, each party thereto certifies as to its own organization, under penalty of perjury, that to the best of knowledge and belief:

- The prices in this bid have been arrived at independently without collusion, consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor.
- Unless otherwise required by law, the prices, which have been quoted in its bid, have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor.
- No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit a bid for the purpose of restricting competition.

# CERTIFICATION REGARDING DEBARMENT, SUSPENSION AND RESPONSIBILITY

The undersigned certifies, to the best of his/her knowledge and belief, that the Contractor and its principals:

- Are not presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded by any Federal department or agency;
- 2. Have not within a three (3) year period preceding this transaction/application/proposal/contract/agreement been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezziement, theft, forgery, bribery, falsification or destruction or records, making false statements or receiving stoten property;
- Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph 2 of this certification; and
- Have not within a three (3) year period preceding this transaction/application/ proposal/contract/agreement had one or more public transactions (Faderal, State or local) terminated for cause or default.

# CERTIFICATION REGARDING MONROE COUNTY PROCUREMENT POLICY AND CONSEQUENCES FOR VIOLATION

The undersigned certifies, to the best of his/her knowledge and belief, that the Contractor and its principals:

- Have read and understand the Monroe County Procurement Policy and agree to abide by its terms (http://www2.monroecounty.gov/purch-overview.php);
- Understand that any violation of the Monroe County Procurement Policy may result in the exclusion of any response to a public bid, Request for Proposals (RFP) or Request for Qualifications (RFQ) submitted on our behalf; and
- Understand that any contract or agreement entered into subsequent to a violation of this policy during the procurement process is null and void.

Date: 4-30-2624

Elemeture)

00-1 000

[Frint Name]

[Print Title/Office]

Revised 10/3/2013

# **MONROE COUNTY EQUAL PAY CERTIFICATION**

The undersigned certifies, to the best of his/her knowledge, that the Contractor:

- Compensates its employees in compliance with the Federal Equal Pay Act, 29 USC § 206, and the New York State Labor Law § 194, as amended from time to time ("Equal Pay Laws").
- 2. Has not been subject to an adverse finding by the United States Department of Labor, New York State Department of Labor or a court of law with regard to the Equal Pay Laws within the previous five years ("Adverse Finding"). If the Contractor has been subject to an Adverse Finding, the Contractor shall immediately disclose in writing the outcome and circumstances of such Adverse Finding to the County Purchasing Manager at the following address: Room 200, County Office Building, 39 West Main Street, Rochester, New York 14614.
- 3. Is not the subject of any currently pending claims involving the Equal Pay Laws. If the Contractor is the subject of any currently pending claims involving the Equal Pay Laws, the Contractor shall immediately disclose in writing to the County's Purchasing Manager the nature and status of such claims.
- 4. Acknowledges that the violation of one or more of the Equal Pay Laws or its filing of a false or misleading Monroe County Equal Pay Certification during the term of the Contractor's agreement with Monroe County may constitute grounds for the County in its sole discretion to immediately terminate such agreement with the Contractor and for determining the Contractor to be not qualified to participate in future Monroe County contracts.
- Acknowledges that the Contractor will cooperate with the County's compilance monitoring and periodic auditing of Certifications provided by the Contractor to the County.

Date: 4.30.3034

Print Name of Contractor

" · ·

(Debt Massa

Yi (TIM) (A J/PC)

9/4/2020

#### TERMS AND CONDITIONS

BID ITEM:

**TERM CONTRACT- HVAC AIR FILTERS** 

FOR:

Department of Environmental Services

PURCHASING CONTACT:

Catherine Shafer. (585) 753-1183; cahafen@monroecounty.gov

The Buyer, identified above, is the sole point of contact regarding this Bid from the date of issuance until the bids are opened and the results made public.

Catherine Shafer Monroe County Division of Purchasing 200 County Office Building 39 West Main Street Rochester, NY 14614

Email: cshafer@monroecounty.gov

All requests for bid clarification must be submitted in writing to the Buyer referenced above and received no later noon (12:00 PM Eastern Standard Time) on Monday, April 22, 2024.

All questions will be answered and documented in writing as an Addendum to the Bid. These will be sent out to all Bidders who received the original Bid no later than Thursday, April 25, 2024.

**DUPLICATE COPIES:** 

PLEASE SUBMIT YOUR BID IN DUPLICATE: THE ORIGINAL AND ONE (1)

COPY.

**BID INFORMATION:** 

At the time of bid, the bidder shall supply detailed specifications covering the item(s) contained herein and shall clearly indicate any areas in which item or items offered do not fully comply with the specifications contained herein.

SUBMITTAL OF FORMAL PROPOSAL: Bid proposal must be legible and submitted in the original form, bearing an original signature. EMAILS AND FACSIMILES ARE NOT ACCEPTABLE.

All bidders must submit proof that they have obtained the required Workers' Compensation and Disability Benefits Insurance coverage or PROOF that they are exempt. (Visit <a href="https://www.wob.nv.gov">www.wob.nv.gov</a> for forms.)

SPECIFICATION ALTERATIONS:

Specifications will be construed to be complete and be considered the entire description of the goods or services upon which Monroe County is now seeking bids. Only formal written addends can materially after this set of specifications. No verbal statement made by a Monroe County employee or anyone else is binding nor shall such statement be considered an official part of this public bid proposal.

#### QUANTITIES:

The quantities listed are the estimated <u>annual</u> requirements and should not be construed to represent either maximum or minimum quantities to be ordered during the contract term. <u>Estimates are based upon actual annual usage</u> for 2023 by County departments only.

### BRAND REFERENCE:

References to a manufacturer's product by brand name or number are done solely to establish the minimum quality and performance characteristics required. Bidders may submit bids on alternates, but must attach two (2) copies of manufacturer specifications for any alternate at the time of the bid. Further, the bidder must demonstrate that the alternate proposed has a sufficient operating track record to show the equipment will perform per the specified brand. The acceptance of a bidder's alternate rests solely with Monroe County.

## QUALIFIED BIDDER:

Each bidder must be prepared to present satisfactory proof of his capacity and ability to perform this contract. Such proof may include, but is not limited to, an inspection of the bidder's facilities and equipment, financial statements, references and performance of similar contracts. The Purchasing Manager reserves the right to reject any bid where the bidder cannot satisfy the County as to their ability to perform. Monroe County reserves the right to reject any and all bids if the Monroe County Purchasing Manager deems said action to be in the best interests of Monroe County.

# METHOD OF AWARD:

Monroe County Intends to award the bid to the lowest responsive and responsible bidder, based on the TOTAL. <u>Bidder must bid on all items in order to be considered</u>. The County reserves the right to reject any and all bids if the Purchasing Manager deems said action to be in the best interest of the County.

### CONTRACT TERM:

Contract will start with the date of the contract award and run through April 30, 2025, with the option to renew the contract up to four (4) additional twelve (12) month periods with the mutual consent of both parties.

#### PRICE CHANGES:

Price changes may be proposed by either party no later than forty-five (45) days prior to contract extension, based upon manufacturer price changes which must be supported with documentation. Should price changes not be acceptable to both parties, the contract will not be extended. Prices may change only at the time of extension.

## MINIMUM ORDER:

No minimum order is specified for this contract. Agencies must be able to order as needed. Political subdivisions and others authorized by law may participate in this contract.

#### DELIVERY:

All deliveries to be F.O.B. Monroe County to agency as specified by a Purchase Order. Delivery costs must be built into the unit prices bid. Deliveries must be made within two (2) weeks after receipt of purchase order number. The County reserves the right to terminate the contract in the event the specified delivery time is not met.

All items, boxes and material must be clearly tabeled and marked per Monroe County personnel requested information. All deliveries must be shipped as whole and complete orders whenever possible for each specified facility. Any goods delivered must be accompanied by a proper packing list detailing all of the material being delivered and received.

# SECURITIES AND INSURANCE:

Any Certificates of Insurance, Bonds or other forms of security required by this bid are to be submitted to the Purchasing Manager no later than ten (10) normal business days following the date of notification of award. Documents must be received by the close of business, 5:00 pm, on that day.

# PURCHASE ORDER ISSUANCE:

Delivery of services may be directed by the receipt of a Purchase Order only. Items that are not part of this bid will not be paid for by Monroe County. As to all purchase orders issued by Monroe County, exceptions may only be authorized, in writing, by the Purchasing Manager or her authorized agent prior to delivery.

# <u>BILLING</u> PROCEDURE:

All invoices for items sold any authorized agency as a result of this contract must be billed in the following manner: Purchase Order #. Quantity, Description of Item Purchased, BP#, Item #, Extension and Total. ALL INVOICES MUST BE MARKED WITH THE <u>PURCHASE ORDER NUMBER</u>. INVOICES WITHOUT THIS INFORMATION WILL NOT BE PROCESSED FOR PAYMENT.

# WARRANTY/ GUARANTEE:

All warranties by manufacturer shall apply. Bidder shall, as part of its proposal, furnish its warranty/guarantee for all goods/services to be furnished hereunder. As a minimum, Bidder shall warrant all goods for a period of one (1) year from date of acceptance. Bidder shall be obligated to repair or replace all defects in material or workmanship, which are discovered or exist during said period. All labor, parts and transportation shall be at Bidder's expense.

# UNCONTEMPLATED PURCHASES:

Monroe County reserves the right to request separate bids for such quantities of items on this contract that may be best procured via separate public bid offering and to otherwise act in furthering its own best interests.

#### SUBCONTRACT:

The Contractor shall not subcontract any work without first obtaining the written consent of the Monroe County Purchasing Manager.

## RELATED ITEMS.

The County reserves the right to add miscellaneous related items to this contract during the contract term upon agreement by both parties as to the price. Approval must be given in writing by the Purchasing Manager or her Designee.

## REPORT OF PURCHASE:

The Contractor must, upon request, provide the County Purchasing Manager with detailed information showing how much of each item was delivered to any and all agencies under this contract. This includes deliveries to not only the County but any other municipality or agency which orders from this contract.

#### OTHER AGENCIES:

The Contractor(s) must honor the prices, terms and conditions of this contract with political subdivisions or districts located in whole or in part within Monroe County. In addition, the contractor may, but is not required to, extend the prices, terms and conditions of this contract to any other political subdivision or district. Usage of this contract by any of these other political subdivisions or districts will have to be coordinated between that subdivision or district and the contractor. Orders placed against this contract between any subdivision or district will be contracts solely between the Contractor(s) and those entities. Monroe County will not be responsible for, nor will it have any third party.

#### INDEMNIFICATION:

The Contractor agrees to defend, indemnify and save harmless the County, its officers, agents, servants and employees from and against any and all ilability, damages, costs or expenses, causes of action, suits, judgments, iosses and claims of every name not described, including attorneys' fees and disbursements, brought against the County which may arise, be sustained or occasioned directly or indirectly by any person, firm or corporation arising out of or resulting from the performance of the services by the Contractor, arising from any act, omission or negligence of the Contractor, its agents and employees or arising from any breach or default by the Contractor under this Agreement. Nothing herein is intended to relieve the County from its own negligence or misfeasance or to assume any such liability for the County by the Contractor.

## EQUAL PAY CERTIFICATION:

Prior to the execution of this Agreement, the Contractor shall submit to the County an Equal Pay Certification ("Certification") affirming the Contractor's compliance with the Federal Equal Pay Act, 29 USC § 208 and New York State Labor Law §194, as amended from time to time ("Equal Pay Laws"). As set forth in the Certification, the Contractor's violation of one or more of the Equal Pay Laws or its filing of a false or misleading Certification during the term of this Agreement may constitute grounds for the County in its sole discretion to immediately terminate the Agreement and for determining the Contractor to be not qualified to participate in future Monroe County contracts.

Terms & Conditions-Yerm Contract-Commodity-Single Award.doc (09/20)

# BP0406-24 HVAC AIR FILTERS TECHNICAL SPECIFICATIONS

### **CATEGORIES:**

- I. PLEATED EXTENDED SURFACE AREA, DISPOSABLE AIR FILTERS
- II. HIGH CAPACITY EXTENDED SURFACE MINI-PLEAT AIR FILTERS
- III. RING PANEL TYPE, POLYESTER, INTERNAL WIRE, DISPOSABLE AIR FILTERS
- IV. AUTOMATIC ROLL TYPE, FIBERGLASS WITH FARR CORE, DISPOSABLE AIR FILTERS
- V. EXTENDED SURFACE BAG AIR FILTERS
- VI. PURAFILTER CARBON PLEATED AIR FILTERS

# CATEGORY I: PLEATED EXTENDED SURFACE AREA. DISPOSABLE AIR FILTERS

#### SCOPE:

This specification covers pleated panel filters that are a component of heating, ventilation and air-conditioning systems.

#### **CONSTRUCTION:**

The filters shall consist of a pleated media pack contained in a die cut beverage board frame.

#### MEDIA:

Media shall be made of Mechanical Filtration - synthetic media not acceptable.

#### **MEDIA PACK:**

The media shall be formed into uniformly shaped pleats with equal height measured from pleat apex to apex.

The media shall have an extended metal grid with 95% open area bonded to the air leaving side to shape the pleats and prevent fluttering in operation. The expanded metal grid shall be made of electroplate galvanized steel to inhibit rust.

The media shall be a MERV 8 minimum of 1/4" larger than the inside dimensions of the die cut frame to completely seal the pack inside the filter.

The filters shall contain no less than the number of pleats per lineal foot as specified in the following schedule:

Filter Thickness	Pleats per Foot
24	14
4"	10

#### FILTER FRAME:

The pleated media pack shall be contained in a frame made from two pieces of die cut beverage board with high wet strength characteristics. The two mating pieces of the die cut frame shall be fully overlapped around the entire perimeter of the filter. Diagonal support members shall be an integral part of both die cut pieces providing support for the media pack on both sides.

#### PLEATED SUPPORT FINGERS (4" SIZES ONLY):

Two (2) sets of pleat stabilizes (fingers) shall be inserted into the filters to maintain proper pleat separation and reduce fluttering in operation.

### MEDIA PACK ADHESIVE:

The entire inside surface of both die cut frame pieces shall be coated with a water repellent adhesive to bond the pack inside frame on all four edges. The pleat tips shall be bonded to the diagonal support members at all points of contact.

The adhesive shall be water repellent and maintain its bonding characteristics when wet. The adhesive shall not soften or dissolve when the filter is wet.

#### PERFORMANCE:

The filters shall meet the following minimum performance requirements based on the ASHRAE 52.2 test standards. Tests conducted on 24 x 24 size filters shall be representative of the performance of all sizes purchased.

Nominal Size	24 x 24 x 2	24 x 24 x 4
Rated Air Flow Capacity (CFM)	2000	2000
Initial Resistance @ Rated Air Flow (In. W.G.)	.35*	.30"
Final Resistance (In. W.G.)	1.0°	1.0*
Initial Dust Spot Efficiency	20%	20%
Average Dust Spot Efficiency	32%	32%
Dust Holding Capacity (Grams) @ 1.0" W.G.	150g	180g
MERV Rating	A	A

# **UNDERWRITERS LABORATORIES CLASSIFICATION:**

The filters shall be classified Class 2 per U.L. Standard 900.

#### BID SUBMITTAL:

ONE (1) ASHRAE 52.2 test report for each filter thickness from a commercially operated test laboratory or a private test facility with an ISO 9001 Registration.

## DELIVERY:

All items, boxes and material must be clearly labeled and marked per Monroe County personnel requested information. All deliveries must be shipped as whole and complete orders whenever possible for each specified facility. Any goods delivered must be accompanied by a proper packing list detailing all of the material being delivered and received.

# CATEGORY II: HIGH CAPACITY EXTENDED SURFACE MINI-PLEAT FILTERS

#### SCOPE:

This specification covers extended surface, mini-pleat filters that are a component of heating, ventilating and air conditioning systems.

#### **CONSTRUCTION:**

The filters shall consist of a series of eight (8) mini-pleat media packs assembled in a V-bank arrangement and sealed in a combination steel and plastic support structure.

#### MEDIA:

The media shall be made of a continuous sheet of ultra-fine micro glass paper pleated to form an extended surface, mini-pleat media pack.

The media shall be water resistant. Humidity or intermittent exposure to sensible moisture shall have no effect on the performance of the filter other than a temporary rise in resistance.

#### SEPARATORS.

The separators shall be continuous beads of adhesive to maintain proper pleat spacing over the life of the filter.

#### **END PANALS:**

The ends of the mini-pleat packs shall be contained in preformed plastic panels that properly position the packs and allow them to be completely sealed. Each end panel shall have a notch designed to attach a 12" spring clip when the filters are installed in a reverse flow system.

#### **SUPPORT STRUTS:**

The pleat packs shall be supported by gaivanized steel struts. The packs shall be bonded along their entire length to the support struts. The struts shall also be mechanically fastened to the end panels with locking tabs.

#### HEADER:

The end panels and support struts shall be formed with a header on the air entering side for proper tatching or installation into side access systems.

## MEDIA AREA:

The filters shall contain a minimum amount of media per the following schedule.

24 x 24 x 12 typical range 180-200 sq. ft. 20 x 24 x 12 typical range 150-165 sq. ft. 12 x 24 x 12 typical range 80-95 sq. ft.

## PERFORMANCE (MERV14).

The filters shall meet the following minimum performance requirements based on the ASHRAE 52.2 test standard. Tests conducted on 24 x 24 x 12 size filters shall be representative of the performance of all sizes purchased.

#### Performance Requirements:

Rated Efficiency	90-95%
Rated Air Flow Capacity (CFM)	2000
Initial Resistance @ 500 FPM (in. W.G.)	.40"
Final Resistance (In W.G.)	1,50"
Initial Dust Spot Efficiency	75%
Average Dust Spot Efficiency	90%
MERV Rating	14
Dust Holding Capacity (Grams)	460a

# PERFORMANCE (MERV13):

The filters shall meet the following minimum performance requirements based on the ASHRAE 52.2 test standard. Tests conducted on  $24 \times 24 \times 2$  size filters shall be representative of the performance of all sizes purchased.

#### Performance Requirements:

Rated Efficiency	90-95%
Rated Air Flow Capacity (CFM)	2000
Initial Resistance @ 500 FPM (in. W.G.)	.41"
Final Resistance (In W.G.)	1.00"
Initial Dust Spot Efficiency	53%
Average Dust Spot Efficiency	95%
MERV Rating	13
Dust Holding Capacity (Grams)	94g

## **OPERATING TEMPERATURE LIMITS:**

The filter shall operate at temperatures up to 180 degrees F without materially affecting filter integrity or performance.

# UNDERWRITERS LABORATORIES CLASSIFICATION:

The filters shall be classified Class 2 per U.L. Standard 900.

#### BID SUBMITTAL:

ONE (1) ASHRAE 52.2 test report for each filter thickness from a commercially operated test laboratory or a private test facility.

# CATEGORY III: RING PANEL TYPE, POLYESTER, INTERNAL WIRE, DISPOSABLE AIR FILTERS

#### SCOPE:

Air filters should be ring panel type, constructed of 100% polyester, for high humidity or wat applications. The self-gasketing frame shall prevent air bypass in distorted or problem framing systems.

#### **CONSTRUCTION:**

#### MEDIA:

Filters shall be 100% non-woven polyester media. Three distinctly different layers of media shall be utilized, each stage being denser than the one preceding it. The air leaving side shall be treated with a non-toxic, non-migratory adhesive which is a component of the raw material.

#### FRAME:

A galvanized wire shall be thermally sealed (not sewn) within the filter for integrity. A continuous thermal seal (not sewn) shall run around the outside edge of the wire and on both sides of any center wire. There shall be sufficient media overlap to ensure a positive seal between the filter and the holding frame.

#### PERFORMANCE:

The filters shall meet the following minimum performance requirements based on the ASHRAE 52.2 test standard. Tests conducted on 24 x 24 size filters shall be representative of the performance of all sizes purchased.

#### Performance Requirements:

Initial Resistance (In. W.G.)	.32
Final Resistance (In. W.G.)	1.0
MERV Rating @ 250 ft/min	8

#### **BID SUBMITTAL:**

ONE (1) ASHRAE 52.2 test report for each filter thickness from a commercially operated test laboratory or a private test facility with an ISO 9001 Registration.

# CATEGORY IV: AUTOMATIC ROLL TYPE, FIBERGLASS WITH FARR CORE, DISPOSABLE AIR FILTERS

#### SCOPE:

This category covers replacement media for roll type air fifter mechanisms, which are components of air conditioning, heating and ventilating systems. Unless otherwise specified, the words "roll media" refer to an assembly consisting of a primary element (i.e. filtering media) a device on which the primary element is wound (spool, tube or core), end plates and ancillary devices necessary to meet agency needs specified.

#### **CONSTRUCTION:**

#### MEDIA:

The media shall be of continuous bended fiberglass material, which when clean, shall not compress more than one-fourth inch when subjected to air flow of 500 FPM. The media shall have varying density increasing from front to rear to insure full depth loading, with scrim backing. Medial shall be embedded with an odorless and flameproof adhesive, which will not flow in storage when subjected to temperatures up to 175 degrees F. Media shall be a non-atlergic and non-toxic type, without detectable odor. Media shall meet UL 900 class 2. Media shall be 2" nominal thickness and 65' in length.

#### FRAME:

Filter media shall be in continuous uniform roll and shall fit all manufacturer's automatic roll filter equipment with no modifications. A heavy duty kraft paper leader and traiter must be sewn to media (not stapled) and must be a minimum of 4' long. Each rol! must be packaged in a sealed plastic bag to prevent adhesive migration. Each roll of media shall be comprised of a suitable disposable spool or core and any other accessories necessary for installation.

#### PERFORMANCE:

The filters shall meet the following minimum performance requirements based on the ASHRAE 52.2 test standard.

Performance Requirements: Initial Resistance @500 FPM (In. W.G.) .20 Final Resistance (In. W.G.) .50

# UNDERWRITERS LABORATORIES CLASSIFICATION:

The filters shall be classified Class 2 per U.L. Standard 900.

#### BID SUBMITTAL:

ONE (1) ASHRAE 52.2 test report for each filter thickness from a commercially operated test laboratory or a private test facility with an ISO 9001 Registration.

# **CATEGORY V: EXTENDED SURFACE BAG AIR FILTERS**

#### SCOPE:

- The air filters shall be high efficiency ASHRAE extended surface pocket style filters consisting of high loft air laid micro fine glass media, a galvanized steel header, galvanized steel pocket retainers, and bonding agents to prevent air bypass and ensure leak performance.
- Sizes shall be as noted on supporting materials.

#### **CONSTRUCTION:**

- Filter media shall consist of high -density air taid tofted microfine glass media that is chemically bonded to permeable media support backing forming a tofted filter blanket.
- Individual pockets shall contain a minimum of 40 stitching support points per square foot of media area. All stitching centers shall be sealed using a foam-based sealant that remains pliable throughout the life of the filter. The sides and ends of each pocket shall be sewn with a chain-link over lock stitch
- Pockets shall be formed into tapered pleats, supported by controlled media space stitching, to
  promote uniform airflow across the surface of the media. At any point, the sizes of the upstream and
  downstream passages shall be proportional to the volume of filtered air.
- 4. Support menibers shall include a galvanized steel header and galvanized steel pocket retainers. The header shall be bonded to the media to prevent air bypass. Individual pocket retainers shall be fastened with a mechanical crimp to lock individual pockets together. The media pocket shall be bonded to the pocket retainers to prevent air bypass. The frame shall form a rigid and durable support assembly.
- 5. A filter sealing gasket shall be installed on one of the vertical members of the filter header.

#### PERFORMANCE:

- The filters shall have a Minimum Efficiency Reporting Value of (MERV9, MERV11, MERV 13, MERV15) per ASHRE standard 52.2-2007. It shall have a MERV-A of (9, 11, 13, 15)\* when tested under Appendix 1 of the standard.
- The filter shall be capable of withstanding 5.0° w.g. without failure of the filter.
- The filter shall have an Energy Cost Index (ECI) value of five stars.
- The filter shall be classified by Underwriters Laboratories as UL Class 2.
- Manufacturer shall provide evidence of facility certification to ISO 9001-2000.
- 6. The filter shall contain eight (8) individual pockets.

Nominal Size Rated Air Flow Capacity (CFM) Initial Resistance @ Rated Air Flow (In. W.G.) Media Square Feet MERV Rating Average Dust Spot Efficiency	24 x 24 x 15	24 x 24 x 5	24 x 24 x 15
	1000	1250	1500
	.42°	.53"	.67"
	47.66	47.66	47.66
	15	15	16
	90-95%	90-95%	90-95%
Nominal Size Rated Air Flow Capacity (CFM) initial Resistance @ Rated Air Flow (In. W.G.) Media Square Feet MERV Rating Average Dust Spot Efficiency	24 x 24 x 15	24 x 24 x 5	24 × 24 × 15
	1000	1250	1500
	.35°	.45°	.56°
	47,66	47.66	47.66
	13	13	13
	80-85%	80-85%	80-85%
Nominal Size	24 x 24 x 15	24 x 24 x 5	24 x 24 x 15

Rated Air Flow Capacity (CFM)	1000	1250	1500
Initial Resistance @ Rated Air Flow (In. W.G.)	.29"	.37"	.47*
Media Square Feet	47.66	47.66	47.66
MERV Rating	11	11	11
Average Dust Spot Efficiency	60-65%	60-65%	60-65%
Nominal Size	24 x 24 x 15	24 x 24 x 5	24 x 24 x 15
Rated Air Flow Capacity (CFM)	1000	1250	1500
Initial Resistance @ Rated Air Flow (In. W.G.)	.24*	.30"	.38"
Media Square Feet	47.66	47.66	47.66
MERV Rating	9	9	9
Average Dust Spot Efficiency	40-45%	40-45%	40-45%

# **SUPPORTING DATA:**

Provide ASHRE product test report per ASHRE Standard 52.2-2007, including testing per appendix J.

Product shall be Camfil Farr Hi-Flo or County approved equal.

# **CATEGORY VI: PURAFILTER CARBON PLEATED AIR FILTERS**

#### SCOPE:

- The Purafilter Commercial Grade air filters shall be high performance, 2" and 4" deep pleated, rigid, disposable, gas-phase(chemical) filters supplied with or without an integral particulate filter.
- Meets ASHARE 62.1 and 62.2 Indoor Air Quality Procedure. The bi-component, fiber matrix, or filter, does not require the use of adhesives, so absorbents are fully exposed for reactions with gaseous, chemical contaminants and odors.
- 3. Sizes shall be as noted on supporting materials.

#### **CONSTRUCTION:**

#### MEDIA:

- Purafilter medium shall be an adsorbent-loaded non-woven medium containing a combination (50:50) of Purafil Sodium Permanganate granular media and Purakol activated carbon granular media.
- This media combination shall not only remove gaseous contaminants by physical adsorption, but also utilizes chemisorption to react with contaminants in the airstream. Thus, it is not to be replaced with a filter whose gas-phase medium is activated carbon.
- These adsorbent-loaded non-woven media may be combined with an integral
  particulate filter media having a Minimum Efficiency Reporting Value (MERV) of 8
  or better in the pleated filter form.
- Media for a 24 x 24 x 2 filter shall be 17.9 sq ft with minimum 30 pleats per ASHRAE 52.2 test report

#### FRAME ENCLOSURE:

- The fliter frame shall be constructed of a rigid, heavy-duty, high wet strength, die-cut beverage board with diagonal support members bonded to the air entering and air exiting side of each pleat to ensure pleat stability.
- 4" deep filters shall be equipped with individual die cut or prefabricated contour stabilizers (fingers) or other approved devices to ensure uniform separate and parallel pleats and to stabilize each pleat.
- The frame shall consist of two mated pieces that form a double wall around the entire perimeter of the filter.
- 4. The inside periphery of the enclosing frame shall be bonded to the pleat pack to eliminate the possibility of air bypass.
- Adhesive shall be applied uniformly with not apparent gaps to all inside surfaces of the enclosing frame to ensure bonding with the pleat pack and with all mated surfaces of the frame.
- 6. All materials of construction especially adhesives shall be of low- or non-emitting materials so as not to adversely affect the media.

#### LABELING.

- 1. All Commercial Grade Purafilters will be listed by their nominal dimensions.
- Airflow directional arrows must point in the proper direction to assure the correct orientation of the combination media.
- Standard media orientation for the 30% combination filter will have the particulate media on the air entering (inlet, upstream) side of the filter.

#### **PACKAGING REQUIREMENTS:**

- Purafilter shall be placed individually in a non-porous bag (HDPE, LLDPE, etc.)
  and each bag shall be taped or otherwise sealed to inhibit exposure to atmospheric
  contaminants during transit and storage.
- There shall be no more than 6 or 3 filters packaged in a shipping box for the 2" and 4" deep filters, respectively, (min 250 lb test).

# PERFORMANCE:

- The Purafiter Enersave air filters shall have the capacity, via oxidation, adsorption, absorption, and chemical reaction to remove contaminants from the airstream, including but not limited to: formaldehyde, nitrogen dioxide, ozone, sulfur dioxide, and toluene.
- The Purafilter Enersave air filters with an integral particulate filter shall have a MERV of 8 according to ASHRAE Standard 52.2-1999.
- 3. Resistance at 492 fpm (2.5 m/s) shall be the following values.

Nominal Size	24 x 24 x 2
Rated Air Flow Capacity (CFM)	2000
Initial Resistance @ Rated Air Flow (In. W.G.)	.51
Final Resistance (In. W.G.)	2.0"
Dust Holding Capacity (Grams) @ 1.0" W.G.	122g
MERV Rating	8

# BP0408-24 HVAC AIR FILTERS UNIT PRICE SHEET

CATEGORY I FILTER SIZE (STANDARD)	CUANTITY	UNIT PRICE	TOTAL COST
10X10X1	2	8 2.67	8 5.34
10X20X1	36	10.64	
10X22X1	12	571	95.04
10X24X1	60		08.52
12X20X1	4	3.89	276.00
12X20X2	4	2 3	11.56
12X24X2	323	3.13	12.52
12X24X4	17	3.05	986.18
12X26X2	9	91. 70	01.60
18X17X1	2	4.88	43.43
130(230(1	2	\$.71	11.43
13X46X1	2	5.77	3,54
14 7/8X17 3/8X1	24	8.5	17.03
14X14X1 Merv4 Polyester		0.78	102.72
14X18X1		2.15	17.20
14X18X2	12	4.78	0135
14X20X1		7.62	30.48
14X24X1		3.76	5.52
14X26X1	16	3.89	46.24
4X2BX2	2	7.89	\$.78
18X20X2	27	3.35	90.45
502302	28	2.50	91.00
6X16X1	2	9.2	10.62
6X16X2	12	3.99	35.88
6X20X1	32	3.66	117.12
6X20X1 Merv4 Polyester	123	3.63	333. 36
lex20x2	4	3.01	13.04
6X20X4	390	3.63	1,415.70
6X22 1/2 X1	28	2.90	145,60
16X22X2	28	7.64	213, 92
16X24X1	8	6.31	66.48
6X2AX2	2	3.74	5.40
16X24X4	68	3.56	243.44
(6X28X)	1	5.17	8,17
0x28x2	196	2.88	564, 48
8X28X4	543	3.06	1,987.38
6X30X1	4	539	31.56
6X46X2	3	6.14	34.43
6X57.6X2	6	1	58.36
17X21X1	16		197.38
7X24X2	2	13.33	15.31
7X24X2	2	6.69	11/11
/ACOAT	40	6,69	1335.60

17X27X1			
17X30X1	24	8.14	195.36
17X34X1		6.50	34.00
181/2X151/2X1	62	8.51	537.62
18X14X1	2	6.78	13.56
18X18X1		0.78	12.56
18X18X2	78	9.00	312.00
18X20X2	2 28	5,94	11.88
18X24X1		1141	123.48
18X24X2	72	3.27	235. 44
18X24X4	78	3.73	283.48
18X25X1	56	3.45	313.30
18X27X1	18	1.33	59.76
18X28X1	8	8.14	65.12
18X25X1	2	8.14	16.28
18X46X2	14	9.00	136.00
18X67.6X2	6	10.05	60.30
19X24X1	16	13, 85	664.80
19X27X1	48	8.14	340.72
19)(29)(1	46	2.50	391.00
19X31X1	120	9.50	1 020.00
19X33X1	2	2,50	17.00
19.8X21.5X2	29	9.00	353.00
20X18X2	4	8.14	32,5b
20X16X2	30	3.51	105.30
20X20X1	8	3.58	38,64
20X20X2	243	2,98	734.14
20X20X4	747	3.66	2,734.02
2002201	3		16.7
20X24X1	14	4.14	113.96
20X24X2	900	3.35	20.10
20X24X4	260	3.83	943.30
20X25X1	48	6.07	341.36
20X25X2	203	3.51	710.50
20X25X4	888 42	3.46	2 201.76
20X38X2	6	6.07	1354,94
20X45.5X2	the same of the sa	4.87	29.22
21X45.5X2	2	10.35	30.50
22X22X1	24	10.25	30.50
23X24.5X1 Metal	8	4.76	14.34
23X46X2	6	15.50	93.00
24X24X2	2082	10,91	0546
24X24X4	194	6,44	8.8D3.08
24X24X4 8A	66		1,249.36
24X25X2	2	19.59	1,097.04
24X30X2	6	9.33	59.36
25X25X2	2	9.21	39.36
27 3/4 X9 3/4 X1	2	\$.71	11, 42
27.5X46X2	6	V.78	3.56
		\$ 11,44	8 68. 64

28 1/2 X29 1/2 X4	11	3.35	11/4 00
29.5X17X1	75	8.5 C	146.85
29.5X46.5X2	2	11.79	037.50
29X36X2	2	10,90	23.58
30X57.5X2	16	14.12	21.80
34.5X67.6X2	32	31,76	235, 92 696, 32
25.5X25,5X.5	1	9.89	1 10.31
6 3/4 X23 3/4 X1/2	20	5.61	9.89
8 3/4 X19 1/4 X1	2	5.6	112.20
8X19X1	6	5.6	11.32
8X22X1	24	5.61	33,60
8X26X1	6		14.64
8X28X1	6	5.61	33.60
8X32X1		5.71	34.26
8X34X1	4	9.78	37.12
8X42X1	10	6.78	67.80
8X44X1	16	7.64	133.34
6X46X1	8	1.64	61.12
8X46X1	2	7.64	15.38
8X58X1	2	7.64	86.2
9 3/4 X23 3/4 X1	16	8.14	130.24
9 3/4 X23 3/4 X1/2	2	5.71	11.40
9 3/4 X37 1/4 X1/2	4	5.71	32.84
9X21X1	8	7.64	61.12
9X2AX1	21	5.6	117.81
9X27X1	12	5.71	08.52
9X31X1	9	5.71	51.99
9X34X1	7	\$.71	39,97
9X46X1	2	7.44	15.28
9X67X1	36	8.14	293.04
	54	8.50	459.00
		Category   Total	36,700.43
CAYEGORY II FILTER SIZE (HIGH EFFICIENCY)			
12X24X12			
12X24X12 (Merv 13)	96	\$ 77.89	\$ 7,477,44
12X24X12 Durafil	2	68.47	136. 84
12X24X12 E8B Durafi)	8	77.89	389.45
12X25X12	8	89.47	\$36, 82
16X20X12	3	73.33	349,99
20X20X12 88.47	6	25.12	510.72
20X20X12 Durefil	17	85.47	,503.14
20X24xX12	2	68.42	76. 84
20X25X12	9	88.42	795.78 [62. 28
24X20X12 Durafil	2	91.14	62. 28
24X24X12	9	68.42	195.78
24X24X12 (Merv 13)	278	91.38	35,375. 44
24X24X12 HEPA	2	63, 5	166.30
24X24X12 Durafil	4	98.00	792.00
24X24X12 ESB Ourafil	165	91.28	15.061.20
	18	104.31	1875,78

CATEGORY III FILTER SIZE (RING)		Catagory II Total	\$ 56.036.30	
11.8X82 Ring				
12X24 Ping	32	8 8.14	8 260-48	
12X28 Ring	176	3.31	564.96	
14X14 Ring	4	4 73	18.92	
14X20 Ring	4	4.73	18.92	
16.6°x82 Ring	8	3.9	25.68	
16X20 Ring	- 8	1.53	92.34	
17X16 Ring	200	3 40	6 60.00	
17X21 Ring	4	4.73	18. 92	
18X20 Ring	44	4.73	308.13	
18X24 Ring	16	3.97	63.52	
18X37 Ring	48	4.5	216.48	
20X20 Ring	14	9.51	133. 14	
20X24 Plag	193	3.97	766.31	
20X28 Ring	18	4.51	81.18	
20X51 Ring	106	7,37	452.62	
20X00 Ring	20	8,52	170.40	
24X24 Ring	80	11.28	902.40	
24X44 Ring	200	14,73	946.00	
Province (MM)	8	9.47	75.16	
		Catagory III	\$ 5,695.95	
CATEGORY IV FILTER SIZE (ROLL)		1		
4' x 65' roll	16	9 N/A	11/4	
6' x 66' roll	15	8 N/A	3 N/A	
		Category IV	\$_ N/A	
CATEGORY V FILTER SIZE (BAG)		120		
12X24X18 Bag				
12X24X30 Bag	2	\$ 37.40	\$ 54.80	
20X20X22 Bag	20	21.69	493. 60	
20X2AX22 Beg		77.65	110.60	
24X24X16 Bag	4	34.41	137.64	
24X24X22 Bag	86	33.47	1,244,95	
24X24X30 Beg	172	36.63	6,300.36	
	2.6	43.38	1, 127, 88	
		Category V Total	\$ 11.010.03	
CATEGORY VI FILTER SIZE (CARBON)			2 - 2	
16x20x1 Charcoel	2	6 T 176	0 10 72	
16X25X1 Chercoal	6	\$ 6.40	\$ 12.80	
20X20X1 Charcoal		8,89	53.34	
20X25X1 Cherooel	2	10.00	3.0.00	
24X24X2 Chargost	16	11.00	767.34	
- The same of the	64	14.3	767.34	
		Category VI Total	s 1.029.4B	

r -	1		100 m				_
ŀ					TOTAL	1 \$	110,462.09
L						<del>-   *-</del>	TINITING. VI
EG 52							
		•		4	1	- 2	

PLEASE TRANSFER THE UNIT PRICE SHEET <u>TOTAL</u> TO THE FRONT PROPOSAL PAGE.

### **COMPLIANCE WITH FEDERAL SINGLE AUDIT ACT**

In the event the Contractor is a recipient through this contract, directly or indirectly, of any funds of or from the United States Government, Contractor agrees to comply fully with the terms and requirements of Federal Single Audit Act [Title 31 United States Code, Chapter 75], as amended from time to time. The Contractor shall comply with all requirements stated in Federal Office of Management and Budget Circulars A- 102, A-110 and A-133, and such other circulars, interpretations, opinions, rules or regulations that may be issued in connection with the Federal Single Audit Act.

If on a cumulative basis the Contractor expends Seven Hundred and Fifty Thousand and no/100 Dollars (\$750,000.00) or more in ferteral funds in any fiscal year, it shall cause to have a single audit conducted, the Data Collection Form (defined in Federal Office of Management and Budget Circular A-133) shall be submitted to the County; however, if there are findings or questioned costs related to the program that is federally funded by the County, the Contractor shall submit the complete reporting package (defined in Federal Office of Management and Budget Circular A-133) to the County.

If on a cumulative basis the Contractor expends less than Seven Hundred and Fifty Thousand and no/100 Dollars (\$750,000.00) in federal funds in any fiscal year, it shall retain all documents relating to the federal programs for three (3) years after the close of the Contractor's fiscal year in which any payment was received from such federal programs.

All required documents must be submitted within nine (9) months of the close of the Contractor's fiscal year end to:

Monroe County Internal Audit Unit 304 County Office Building 39 West Main Street Rochester, New York 14614

The Contractor shall, upon request of the County, provide the County such documentation, records, information and data and response to such inquiries as the County may deem necessary or appropriate and shall fully cooperate with internal and/or independent auditors designated by the County and permit such auditors to have access to, examine and copy all records, documents, reports and financial statements as the County deems necessary to assure or monitor payments to the Contractor under this contract.

The County's right of inspection and audit pursuant to this contract shall survive the payment of monies due to Contractor and shall remain in full force and effect for a period of three (3) years after the close of the Contractor's fiscal year in which any funds or payment was received from the County under this contract.

Audit Clauses for Purchasing 002.doc

# **GENERAL SPECIFICATIONS**

# **MONROE COUNTY PURCHASING & CENTRAL SERVICES**

200 COUNTY OFFICE BUILDING
39 WEST MAIN STREET, ROCHESTER, NEW YORK 14614
585-753-1100
mcpurchasing@monroscounty.gov

#### . FOREWARD

This document contains the General Specifications of the Monroe County Division of Purchasing and Central Services and supersedes any previous issue. The definitions and conditions contained herein apply to all public bids and contracts awarded by the Monroe County Division of Purchasing and Central Services.

#### II. DEFINITIONS

Political Subdivision: A municipal corporation, school district, district corporation or board of cooperative educational services.

Bid: An offer to furnish a described commodity or public work at a stated price in accordance with the Proposal and Specifications.

Bidder: Any person, firm or corporation submitting a Proposal to the County.

Commodities: Materials, supplies, equipment and non-professional services.

Contractor: Any Bidder to whom a contract award is made by the Purchasing Manager or the Monroe County Legislature.

Controller: Controller of the County of Monroe.

County: Monroe County.

Group: A classification of Commodities.

Late Bid: A Bid received in the Office of Purchasing and Central Services, whether in person, by mail or delivery service, after the time and date established in the Bid Specifications and legal notice for the Bid opening.

Purchasing Manager: Manager of Purchasing and Central Services for Monroe County.

Notice of Contract Award: The official notification of a Bid award from the Purchasing Manager to the successful Bidder.

Proposal: The form which, when issued by the Purchasing Division, constitutes an Invitation to Bid on the commodity or work described therein and which, when completed by the Bidder, constitutes his/her Bid to the County to furnish such commodity or work.

Purchase Order: The official form used by Monroe County when placing an order for materials, equipment, supplies or work with a Contractor and which constitutes a contract between the County and a Contractor.

Specifications: Description of a commodity or work and the conditions for its purchase.

#### III. PROPOSALS AND BIDS

- 1. The date and time of Bid opening will be given on the Proposal.
- All Bids are to be submitted on forms provided by the Purchasing Manager.
- All Bids must be submitted to the Office of Purchasing and Central Services in a sealed envelope clearly
  marked with Bid number, tile, opening date and time. Bids must not be attached to or enclosed in packages
  containing Bid samples.
- 4. All information required by the Proposal and the Specifications must be supplied by the Bidder.
- Each 8id offered shall be construed in accordance with the Specifications and Proposal. The Bidder must explain all deviations, exceptions and qualifications in detail in the Bid.
- Bidders shall submit one (1) Bid which shall include alternates, if any. Bidders shall not submit multiple Bids in response to the same Proposal. Multiple Bids from the same Bidder may be grounds for Bid rejection.
- 7. Prices and information required by the Proposal, except the signature of Bidder, shall be typewritten or printed in ink for legibility. Bids written in pencil may be rejected. The Purchasing Manager may interpret or reject illegible or vague Bids, and the decision shall be final. All signatures must be in ink. Facsimile, printed or typewritten signatures are not acceptable, and the Bid may be rejected.
- 8. No alteration, erasure or audition to the Specifications or the Proposal shall be made.
- 9. In all Specifications or Proposals, the words "or equal" are understood to appear after each commodity giving the manufacturer's name, catalog reference or any patented commodity. If Bidding on Commodities other than those specified, Bidder must in every instance give the trade designation of the commodity, manufacturer's name and detailed Specifications of the commodity Bidder proposes to furnish. Otherwise, the Bid will be construed as submitted on the identical commodity described in the Specifications.
- Used, damaged or obsolete items are not acceptable unless specifically requested and if offered or delivered, shall be rejected and the contract may be cancelled.
- 11. When Bids are requested on a number of Commodities as a Group, a Bidder desiring to Bid "no charge" on a commodity in the Grouping must so indicate. Otherwise, such Bid will be considered as incomplete and may be rejected. Any Bidder failing to Bid on the minimum number of items specified in the Bid documents may have his/her Bid declared incomplete or nonresponsive, and the Purchasing Manager has the discretion to reject the Bid.
- 12. The Bidder must insert the price per unit specified and the price extension for each item in the Bid, if required. In the event of a discrepancy between the unit price and the extension, the unit price will govern. If there is a discrepancy in any unit price Bid between the numerical unit prices and the written unit prices, the written unit prices shall govern. Prices must be extended in decimals, not fractions.
- 13. Prices must be net, including transportation and delivery charges fully prepaid by Contractor to the destination(s) indicated in the Proposal, subject only to a cash discount, if applicable. If the award is to be on any other basis, transportation charges must be prepaid by the Contractor and added to the invoice as a separate item.
- 14. Bidders are cautioned to verify their Bids before submission, as Bids and amendments to Bids or requests for withdrawal of Bids received by the Purchasing Manager after the time specified for the Bid opening may not be considered.
- All Bids will be opened and read publicly at the time and place set forth in the Proposal and legal notice thereof.

16. All Bids will be time/date stamped as proof of receipt. Bids received at the Office of Purchasing and Central Services after the time specified for Bid opening will be returned to the Bidder unopened. The Bidder assumes the risk of any delay in the United States Postal Service, in any other delivery service, or in the handling of the Bid by any employee of the County. Whether sent by the United States Postal Service, other delivery service, or by personal delivery, the Bidder assumes the responsibility for having the Bid submitted on time. The time clock located in the Office of Purchasing and Central Services is designated the official timepiece for submission of Bids. A Late Bid will be rejected and cannot be considered in awarding a contract.

#### IV. SAMPLES

- 17. The Purchasing Manager reserves the right to request a representative sample of the commodity at any time. The sample shall be furnished within the timeframe specified in the Bid package.
- 18. If in the judgment of the Purchesing Manager, the sample is not in accordance with the requirements stated in the Specifications and the Proposal, the County may reject the Bid; or if an award has been made, cancel the Purchase Order at the expense of the Contractor.
- When samples are required, failure to submit them in accordance with instructions may be sufficient cause for rejecting a Bid or canceling an award.
- 20. When an accepted sample exceeds the minimum Specifications, all Commodities delivered will be of the same quality and identity as the sample.
- 21. Samples must be submitted free of charge and be accompanied by the Bidder's name and address, a statement indicating how and where the sample is to be returned to the Bidder and descriptive literature regarding the commodity. Samples will be returned at the Bidder's expense and risk.
- 22. All samples are subject to tests in the manner and place designated by the Purchasing Manager. Samples consumed or made useless by testing cannot be returned to the Bidder, and the County will not be responsible for any costs as a result of such testing.
- 23. Where the sample has not been impaired by testing and the Bidder has failed to indicate the place and mode of return of the sample, it becomes the property of the County at the conclusion of the contract period.
- 24. Samples may be held by the County during the entire term of the contract for comparison with deliveries.
- 25. A Proposal may indicate that the commodity to be purchased must be equal to a sample on display in a designated place. Failure on the part of the Bidder to examine such sample shall NOT entitle him/her to any reflef from the conditions imposed in the Proposal, Specification and related documents. If feasible, standard samples will be submitted to the Bidder for his/her examination prior to the Bid opening date.
- 26. Cash discounts with not be considered as a basis for award in any contract.

#### V. AWARDS

27. The Purchasing Manager reserves the right before making an award, to investigate whether or not the items, qualifications or facilities offered by the Bidder meet the requirements set forth in the Proposal and Specifications and are sufficient to ensure the proper performance of the contract, in the event of award. The Bidder must be prepared, if requested by the Purchasing Manager, to present evidence of experience, ability and financial standing, as well as a statement as to plant, machinery and capacity of the manufacturer for the production and distribution of the commodity on which he/she is bidding. If in the opinion of the Purchasing Manager, it is found that the terms and conditions of the Proposal and the Specifications are not compiled with, or that items proposed to be furnished do not meet the requirements or Specifications called for, or that the qualifications, financial standing, facilities or capacities are not satisfactory, the Purchasing

Manager may reject such a Bid. The Purchasing Manager, in no way, is required or obligated to conduct such investigation prior to awarding the contract. It is further understood that if such investigations are made, it in no way relieves the Contractor from fulfilling all requirements and conditions of the contract.

- 28. Contracts shall be awarded to the lowest responsive and responsible Bidder. Responsiveness is determined by taking into consideration the qualities of the articles proposed to be supplied and their conformity with the Specifications. Responsibility is determined by taking into consideration the Bidder's qualifications and their capacity and ability to meet the terms of the contract, including any historical performance record the Bidder may have with the County.
- 29. A Bidder may be disqualified from receiving awards if such Bidder or anyone in his/her employ, has previously failed to perform satisfactorily in connection with public bidding or contracts.
- 30. The Purchasing Manager reserves the right to evaluate and/or reject all Bids in whole or in part and to weive technicalities, irregularities and omissions, if in her judgment, the best interests of the County will be served.
- 31. The Purchasing Manager reserves the right to make awards within forty-five (45) days after the date of the Bid opening, during which period Bids shell not be withdrawn.
- 32. If two or more responsible Bidders submit identical Bids as to price, and all other terms and conditions are identical, preference may be given to a Bidder whose place of business is within Monroe County. Otherwise, the Purchasing Manager shall have sole discretion in making the Bid award, or all Bids may be rejected and new Bids sought by re-advertisement.

#### VI. CONTRACTS

- 33. All contracts awarded by the Purchasing Manager shall be executory only to the extent that funds are available to each department for the purchase of the work or commodity.
- 34. All Bids shall be received with the understanding that the acceptance thereof, in writing, by the Purchasing Manager or governing body, shall constitute a contract between the Bidder and the County. The mailing of either a Notice of Contract Award Identified by number or of a Purchase Order to the address on the Bid shall be sufficient notice of such acceptance.
- 35. Unless otherwise specified, the quantities listed in the Proposal are subject to change to conform to department requirements.
- 36. The County reserves the right to order up to 10% more or 10% less than the quantities called for in the contract. This paragraph shall not apply to estimated quantity contracts. Over runs and under runs shall not exceed 10%.
- Unless terminated or cancelled by the Purchasing Manager pursuant to the authority vested in such office, contracts will remain in force for the period specified.
- All Purchase Orders must be in writing and must bear the appropriate contract number and the approval of the Purchasing Manager.
- 39. No Commodities are to be shipped or delivered until after receipt of an official Purchase Order from the County, unless otherwise authorized in writing by the Purchasing Manager.
- 40. The Contractor shall not assign, transfer, convey, subjet or otherwise dispose of the contract or his/her right, title or interest therein or his/her power to execute such contract to any other person, company or corporation without the prior consent, in writing, of the Purchasing Manager. (Approval by the Purchasing Manager is not required for the assignment of monies due for contract deliveries. Such assignments should be filed directly with the Purchasing Manager.)

- 41. No alteration or variation of the terms of the contract shall be valid or binding upon the County unless requested in writing and approved in writing by the Purchasing Manager.
- 42. Pursuant to the provision of Section 220-A of the New York State Labor Law, as amended, the Contractor (and his/her Sub-Contractors) will be obligated to pay all workers in the covered classes the applicable prevailing wage rates and supplements for the locality where the contract work is executed. The minimum hourly wage rate to be paid the various classes of labor performing work under this contract shall be in accordance with schedules which have been established or may hereafter be established or increased, by the New York State Department of Labor during the contract term.

#### VII. DELIVERY

- 43. Delivery must be made as ordered and in accordance with the terms of the contract. Unless otherwise specified, delivery shall be made within thirty (30) days of receipt of Purchase Order by the Contractor. The decision of the Purchasing Manager as to reasonable compliance with delivery terms shall be final. Burden of proof of delay in receipt of Purchase Order shall rest with Contractor.
- Any extension of time of delivery must be requested in writing by the Contractor and approved in writing by the Purchasing Manager.
- 45. The County will not schedule any deliveries for Saturdays, Sundays or legal holidays, except Commodities required for daily consumption or where the delivery is an emergency, a replacement or is overdue, in which events the convenience of the County will govern.
- 46. Commodities shall be securely and properly packed for shipment, storage and stocking in new shipping containers and according to accepted commercial practice, without extra charge for packing cases, bailing or sacks. The container shall remain the property of the County unless otherwise specifically agreed to in the contract.
- Point of Destination. All deliveries shall be unloaded at the storeroom door of the ordering County department unless otherwise stated in the Proposal or Specifications.
- 48. Commodities shall be purchased as Freight on Board (FOB) Destination and shall include all shipping, delivery and/or transportation charges. Delivery is not complete until Commodities have been received and accepted by the ordering department.
- 49. When Commodities are rejected with notice of such rejection having been provided to the Bidder, they must be removed by the Contractor from the premises of the ordering department within five (5) days from notification. Rejected items left longer than five (5) days will be regarded as abandoned, and the County shall have the right to dispose of them as its own property.

#### VIII. DEPOSITS

- 50. Unless otherwise expressly indicated, the County will refund the full amount of the specification deposit for one (1) set of Plans and Specifications submitted by each unsuccessful Bidder whose Bid is accompanied by the required Bid security, upon the proper return of one (1) set of Plans and Specifications within thirty (30) days of the Bid sward or rejection of all Bids.
- The County will return the full amount of the specification deposit submitted by the successful Bidder for one (1) set of Plans and Specifications.
- 52. Partial reimbursement, in an amount equal to the full amount of the deposit for one set of Plans and Specifications per unsuccessful Bidder or non-Bidder less the cost of reproducing the Plans and Specifications (half of the deposit amount) shall be made for the return of all other copies of the Plans and Specifications in good condition within thirty (30) days of contract award or rejection of all Bids.

53. Unless otherwise expressly indicated, bid deposits are considered earnest money of good falth and are retained by the County only until a contract has been awarded; at which time they are returned to all Bidders who submitted Proposals. Failure, on the part of a Contractor, to execute a contract, may result in forfeiture of his/her Bid deposit.

#### IX. PAYMENTS

- 54. Payments will be made by the Controller after presentation of an invoice and a properly completed goods receipt and/or voucher by the ordering Department.
- 55. In any case where a question of non-performance of a contract arises, payment may be withheld in whole or in part at the discretion of the Purchasing Manager. Should the amount withheld be finally paid, a cash discount originally offered may be taken by the County as if no delay in payment had occurred.
- 58. Any claim against a Contractor may be deducted by the County from any money due him in the same or other transactions, if no deduction is made in such fashion the Contractor shall pay the County the amount of such claim on demand. Submission of a voucher and payment thereof by the County shall not preclude the Purchasing Manager from demanding a price adjustment in any case where the commodity delivered is later found to deviate from the Specifications and Proposal. Any delivery made which does not meet the requirements of the Specifications and Proposal may be rejected or accepted on an adjusted price basis as determined by the Purchasing Manager.
- 57. Purchases made by the County of Monroe are not subject to State or Local sales taxes or Federal Excise taxes. To satisfy the requirements of New York State Sales Tax, either the Purchase Order issued by an agency or institution of New York State for supplies or equipment or the voucher forwarded to authorize payment for such supplies and equipment will be sufficient evidence that the sale by a Contractor was made to the County of Monroe, an exampt organization under §1116 (a) (1) of the New York Tax Law. Exemption certificates for Federal Excise taxes will be furnished upon request by the Purchasing Division. No person, firm or corporation is, however, exempt from paying New York State Truck Mileage, Unemployment insurance or Federal Social Security Taxes. This exemption does not apply to materials not incorporated into the work of a Public Works Contract.

#### X. GUARANTEES BY CONTRACTOR

- 58. Contractor hereby guarantees:
  - (a) To hold the County, its agents and employees, harmless from any liability imposed upon the County arising from the negligence, either active or passive, of the Contractor, as well as for the use of any copyrighted or un-copyrighted composition, secret process, patented or unpatented invention, article or appliance furnished or used in the performance of the contract of which the Contractor is not the patentee, assignee or licensee.
  - (b) To pay for all permits, New York licenses and fees and to give all notices and comply with all laws, ordinances, rules and regulations.
  - (c) That the equipment offered is standard new equipment, latest model of regular stock product with all parts regularly used with the type of equipment offered; also, that no ettachment or part has been substituted or applied contrary to manufacturer's recommendations and standard practice. Every unit delivered must be guaranteed against faulty material and workmanship for a period of one year unless otherwise specified.
- 59. Statement of Non-collusion in Bids and Proposals to Political Subdivisions of the State (NY GML 103-d)
  - Every Bid or Proposal hereafter made to a Political Subdivision of the state or any public department, agency or official thereof where competitive bidding is required by statute, rule, regulation or local law, for work or services performed or to be performed or goods sold or to be sold, shall contain the

following statement subscribed by the Bidder and affirmed by such Bidder as true under the penalties of perjury:

Non-collusive Bidding Certification.

- (a) By submission of this Bid, each Bidder and each person signing on behalf of any Bidder certifies, and in the case of a joint Bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of knowledge and belief:
  - (1) The prices in this Bid have been strived at independently without collusion, consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other Bidder or with any competitor;
  - (2) Unless otherwise required by law, the prices which have been quoted in this Bid have not been knowingly disclosed by the Bidder and will not knowingly be disclosed by the Bidder prior to opening, directly or indirectly, to any other Bidder or to any competitor; and
  - (3) No attempt has been made or will be made by the Bidder to induce any other person, partnership or corporation to submit or not to submit a Bid for the purpose of restricting competition.
- (b) A Bid shall not be considered for award nor shall any award be made where (a) (1) (2) and (3) above have not been compiled with; provided however, that if in any case the Bidder cannot make the foregoing certification, the Bidder shall so state and shall furnish with the Bid a signed statement which sets forth in detail the reasons therefore. Where (a) (1) (2) and (3) above have not been compiled with, the Bid shall not be considered for award nor shall any award be made unless the head of the purchasing unit of the Political Subdivision, public department, agency or official thereof to which the Bid is made or his designee, determines that such disclosure was not made for the purpose of restricting competition.

The fact that a Bidder (a) has published price lists, rates or tariffs covering items being procured, (b) has informed prospective customers of proposed or pending publication of new or revised price lists for such Items; or

- (c) Has sold the same items to other customers at the same prices being bid, does not constitute, without more, a disclosure within the meaning of subparagraph one (a).
- 2. Any Bid hereafter made to any political subdivision of the state or any public department, agency or official thereof by a corporate Bidder for work or services performed or to be performed or goods sold or to be sold, where competitive bidding is required by statute, rule, regulation, or local law, and where such Bid contains the certification referred to in subdivision one of this section, shall be deemed to have been authorized by the board of directors of the Bidder, and such authorization shall be deemed to include the signing and submission of the Bid and the inclusion therein of the certificate as to non-collusion as the act and deed of the corporation.

#### 60. Anti-discrimination Clause

During the performance of this contract, the Contractor agrees as follows:

(a) The Contractor will not discriminate against any employee because of race, creed, color, sex or national origin and will take affirmative action to insure that they are afforded equal employment opportunities without discrimination because of race, creed, color, sex or national origin. Such action shall be taken with reference but not be limited to: recruitment, employment, job assignment, promotion, upgrading, demotion, transfer, tayoff or termination, rates of pay or other forms of compensation and selection for training or retraining, including apprenticeship and on-the job training.

- (b) The Contractor will send to each labor union or representative of workers with which he has or is bound by a collective bargaining or other agreement or understanding, a notice, to be provided by the New York State Division of Human Rights, advising such labor union or representative of the Contractor's agreement under clauses (a) through (g) hereinafter called "non-discrimination clauses." If the Contractor was directed to do so by the contracting agency as part of the Bid or negotiation of this contract, the Contractor shall request such labor union or representative to furnish him with a written statement that such labor union or representative will not discriminate because of race, creed, color, sex or national origin and that such labor union or representative either will affirmatively cooperate, within the limits of its legal and contractual authority, in the implementation of the policy and provisions of these non-discrimination clauses or that it consents and agrees that recruitment, employment and the terms and conditions of employment under this contract shall be in accordance with the purposes and provisions of these non-discrimination clauses. If such labor union or representative falls or refuses to comply with such a request that it furnish such a statement, the Contractor shall promptly notify the New York State Division of Human Rights of such failure or refusal,
- (c) The Contractor will poet and keep posted in conspicuous places, available to employees and applicants for employment, notices to be provided by the New York State Division of Human Rights setting forth the substance of the provisions of clauses (a) and (b) and such provisions of the State's laws against discrimination as the New York State Division of Human Rights shall determine.
- (d) The Contractor will state, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, that all qualified applicants will be afforded equal employment opportunities without discrimination because of race, creed, color, sex or national origin.
- (e) The Contractor will comply with the provisions of the Human Rights Law of the State of New York as set forth in section 290-301 of the Executive Law of New York. Contractor will furnish all information and reports deemed necessary by the State Division of Human Rights under these non-discrimination clauses and such sections of the Executive Law and will permit access to said books, records and accounts by the State Division of Human Rights, the Attorney General and the industrial Commissioner for purposes of investigation to ascertain compliance with these non-discrimination clauses and such sections of the Executive Law and applicable Federal Civil Rights Laws.
- (f) This contract may be forthwith cancelled, terminated or suspended, in whole or in part by the contracting agency upon the basis of a finding made by the New York State Division of Human Rights that the Contractor has not compiled with these non-discrimination clauses and the Contractor may be declared ineligible for future contracts made by or on behalf of the State or a public authority or agency of the State, until Contractor satisfies the New York State Division of Human Rights that he/she has established and is carrying out a program in conformity with the provisions of these non-discrimination clauses. Such finding shall be made by the New York State Division of Human Rights after conciliation efforts by the Commission have falled to achieve compliance with these non-discrimination clauses and after a verified complaint has been filled with the Division, notice thereof has been given to the Contractor and an opportunity has been afforded him/her to be heard publicly before three members of the Division. Such sanctions may be imposed and remedies invoked Independently of or in addition to sanctions and remedies otherwise provided by law.
- (g) The Contractor will include the provisions of clauses (a) through (f) in every subcontract or Purchase Order in such a manner that such provisions will be binding upon each subcontractor or vendor as to operations to be performed within the State of New York. The Contractor will take such action in enforcing such provisions of such subcontract or Purchase Order as the contracting agency may direct; including sanctions or remedies for non-compliance. If the Contractor becomes involved in or is threatened with litigation with a subcontractor or vendor as a result of such direction by the contracting agency, the Contractor shall promptly so notify the Attorney General, requesting him to intervene and protect the interests of the State of New

York.

61. Workers' Compensation. Contractor will secure Workers' Compensation and keep insured during the life of the contract for the benefit of such employees as are required to be insured by the provisions of Chepter 41 of the Laws of 1914, as amended, known as the Workers' Compensation Law and also provisions of Article 9 of the Workers' Compensation Law known as the Disability Benefits Law. The contract shall be void and of no effect unless the Contractor complies with these provisions.

#### XI. CANCELLATION OF CONTRACT

- 62. Upon failure of the Contractor to deliver within the time specified or failure to make prompt replacement of rejected Commodities when so requested, the Purchasing Manager may purchase from other sources to replace the commodity rejected or not delivered. On all such purchases, the Contractor agrees to reimburse the Country promptly for costs associated with purchasing from other sources. Should the cost be less than the contract price, the Contractor shall have no claim to the difference. Such purchases may be deducted from contract quantity by the Purchasing Manager.
- 63. A contract may be cancelled at the Contractor's expense upon forty-five (45) days written notice by the County or immediately upon nonperformance of the contract, whichever is in the best interest of the County.

#### XII. DRAWINGS

- 64. Rough and/or shop drawings shall be furnished as deemed necessary and required by the Specifications. Such drawings shall be consistent with the contract documents and shall be considered as forming part of the Specifications and the contract to which they relate.
- 65. All lettering on the drawings shall be considered a part of the drawings.
- 66. Approval by the Purchasing Manager of shop drawings or details for any commodity will not relieve the Contractor from responsibility for furnishing same of proper dimension, size, quantity and quality to efficiently perform the work and carry out the requirements and intent of the layout or descriptive drawings forming part of the Proposal and Specifications. Such approval shall not relieve the Contractor from responsibility for errors of any sort in the shop drawings, if the shop drawings deviate or are intended to deviate from the layout or descriptive drawings on Specifications, the Contractor shall so advise the Purchasing Manager in writing at the time the shop drawings are submitted, stating the difference in value between the contract requirements and that denoted by said shop drawings.
- 67. Rough and/or shop drawings will be examined by the Purchasing Manager and if necessary, will be returned to the Contractor for correction. After the corrections have been made, the Contractor shall resubmit to the Purchasing Manager as many copies as required for final approval.
- 68. All drawings and copies thereof shall become the property of the County.

#### XIII. CONTRACTS INVOLVING INSTALLATION

- 69. Contractor shall clean up and remove all debris and rubbish resulting from his/her work from time to time as required or directed. Upon completion of the work the premises shall be left in a neet unobstructed condition, the buildings broom clean and everything in satisfactory repair and order.
- 70. Equipment, supplies and materials shall be stored at the site only upon the approval of the user department and at the Contractor's risk. In general, such on-site storage should be avoided to prevent possible damage or loss of the materials.
- 71. Work shall be performed so as to cause the least inconvenience to the County and with proper consideration for the rights of other Contractors or workmen. The Contractor shall keep in touch with the

entire operation and install his/her equipment promptly.

- 72. Installation shall also include furnishing of any rigging necessary to move equipment into the buildings, also the removal and resetting of any removable windows used for moving equipment into building.
- 73. Bidders shall acquaint themselves with conditions to be found at the site and shall assume all responsibility for placing and installing the equipment in the locations required.
- 74. All materials used in installation shall be of the highest quality and shall be free from all defects which would mar the appearance of the equipment or render it structurally unsound.
- 75. Contractor shall furnish adequate protection from damage for all work and shall repair damages of any kind for which he/she or his/her workmen are responsible.

#### XIV. PERFORMANCE

- 76. The Contractor shall not be responsible for any losses resulting from his/her failure to perform property, if such failure was due to causes beyond his/her control and without his/her fault or negligence, including but not restricted to acts of God, wars, acts of public enemies, strikes, fires and floods, provided that the Contractor shall within ten (10) days from the beginning of any such delay, notify the Purchasing Manager, in writing, of the cause of such delay.
- 77. The terms, conditions and requirements set forth in these General Specifications shall be binding upon Bidders and Contractors submitting Bids or furnishing materials in connection with Proposals received or contracts awarded by the County pursuant to Purchasing Procedures promulgated by the Purchasing Manager.